ROLLING RIVER SCHOOL DIVISION POLICY

Buildings and Grounds Inspections

EBA/P

A priority of the Rolling River School Division is to provide a safe and positive learning environment. The Rolling River School Division will strive to ensure the operation and safety of all equipment, facilities and grounds through a program of regular inspection and maintenance.

Index Regulation

Date Adopted: December 14, 1985 Date Revised: December 1, 2005 Date Revised: September 8, 2010 Date Revised: November 3, 2010 Date Revised: November 7, 2012 Date Reaffirmed: April 26, 2017 Date Reaffirmed: October 7, 2020

- 1. Any deficiencies that are identified through regular inspection of equipment, facilities and grounds will be reported immediately to the School Principal and, through submission of a work order for repair, to the Maintenance Department.
- 2. Any deficiency that poses an immediate risk to students, staff or the public will be isolated by the School Custodian or supervising teacher and then clearly identified to the School Principal and Maintenance Supervisor so that immediate action to resolve the concern may proceed.
- 3. Playground equipment will be inspected on a daily, monthly and yearly basis.
 - a. The custodian will check each morning to ensure the equipment is in safe working order and there has been no vandalism the previous night.
 - b. The custodian will do a monthly inspection of equipment and submit the Playgrounds-Safety and Equipment Inspection form to the School Principal who will be responsible for submission to the Maintenance Department.
 - c. The Maintenance Department will conduct an annual inspection as per the Annual Playground Inspection Form.
- 4. Automated External Defibrillator (AED) & equipment will be inspected by the school/office custodian on a weekly basis to ensure it is operational and batteries are working as per the AED Operational Manual (Maintenance and Troubleshooting Procedures). The custodian will complete the AED Maintenance Log.
- 5. The Custodian will inspect the outside grounds and equipment used for Physical Education on a monthly basis and complete the Outside Facilities Safety Check form. The completed form will be submitted to the School Principal who will be responsible for submission to the Maintenance Supervisor.
- 6. Exterior premises will be inspected daily. The custodian will complete the Exterior Premises Inspection Form on a daily basis. The completed form will indicate any action taken to resolve unsafe situations.
- 7. Physical Education facilities and equipment will be inspected on a regular basis as follows:
 - a. The Physical Education teacher will do a daily safety check of the gymnasium and equipment.
 - b. The Physical Education teacher will complete a monthly inspection of the gymnasium and equipment and complete and submit the Gymnasium Facilities Safety Check form to the School Principal who will be responsible for submission to the Maintenance Department.

Buildings and Grounds Inspections

- 8. The custodian will conduct the following checks on a monthly basis and record the results on the applicable log or form. The log forms will be submitted to the School Principal on a monthly basis.
 - a. Intrusion Alarm
 - b. Fire Extinguisher Check
 - c. Fire Alarm System Check
 - d. Emergency Lighting and Exit Lights Check

Index Policy

Date Adopted: December 14, 1985 Date Revised: December 1, 2005 Date Revised: November 3, 2010 Date Revised: November 7, 2012 Date Reaffirmed: April 26, 2017 Date Reaffirmed: October 7, 2020 EBA/R



PLAYGROUNDS - SAFETY & EQUIPMENT INSPECTION FORM

To be completed on the last day of each month and submitted to the School Principal.

School:	Date:	

		Excellent	Good	Satisfactory	Poor	Dangerous
A. Play Structure	- Stable					
	- Slivers (nails)					
B. General	- Footings					
	- Underspace					
	- Height					
	- Railings					
C. Specific	- Platforms					
-	- Swings					
	- Slider					
	- Ladders					
	- Roof					
	- Ropes					
	- Tires					
	- Nets					
D. Other						
Check fasteners, nut						
Test for overall stabil	·					
Check seats, chain, "						
Check for protruding						
Check rough surface	. •					
Check for damaged p						
Check bedway, hand	•					
Test bearing assemb						
Check hand, foot hole						
Check ropes and cab						
Check deterioration of	of wood					
Check for foreign ma						
Lubricate and grease						
Check spring assemb	olies					



GYMNASIUM FACILITIES SAFETY CHECK LIST

Submit to the School Principal for Review. School Principal to forward to Maintenance Department

SCHOOL:		DATE (Monthly):				
INSPECTED BY:						
Physical Education Teacher Signature	-					
INSPECT FOR:		SSAFE	COMMENT/FOLLOW UP ACTION			
	YES	NO				
FLOORS:						
Clean and dry.						
Provides for safe foot traction.						
Clear of objects which may cause tripping/slipping.						
Floor sockets covered and flush with floor.						
Floor plates secure in floor, hooks and plate in good condition and flush with floor.						
ENTRANCES/EXITS:						
Free of obstructions.						
No door knobs, protruding handles on gym side of door.						
Doors open away from gym area.						
STAIRS & STAGE AREA:	•	1				
Clear of obstacles.						
Stair treads in good condition.						
Railings secure.						
Free of protruding nails, cracks or splinters.						
CEILING:	•					
Tiles and meshing on lights secure.						
Rings & ropes.						
Safety cages.						
WALLS:		I				
All outlets, switches, registers, etc., which post an unreasonable						
hazard must be padded or flush with wall surface. Free of protruding hooks, nails, etc.						
BASKETBALL BACKSTOP:		T T				
Backboards in good condition.						
Cable and attachments from backboard to wall secure.						
Rims secure and straight.						
Velcro strips on walls and mats behind backboards in good condition.						
Winch not located directly below a wall mounted backboard.						
CHINNING BARS, PEG BOARD & CLIMBING APPARA	ATUS:					
Secure attachment to wall.						
Adjustable parts in good condition.						
Bolts and anchors secure						
Peg holes and pegs in good condition.						
STORAGE ROOM:						
Floor clean and centre area clear of equipment.						
Equipment stored on designated shelves.						
Volleyball & badminton poles secured to wall when stored standing up, to prevent falling.						



GYMNASIUM FACILITIES SAFETY CHECK LIST - Page 2

EMERGENCY EQUIPMENT:		
First Aid Kit fully stocked and accessible.		
Emergency #'s posted.		
Access to phone/office via P.A. System		
BENCHES/BLEACHERS:		
Top and supports free from cracks and splinters.		
Bolts and screws secure.		
CHANGE ROOMS:		
Floor drains working		
	•	
COMMENTS:		

To be completed on the last day of each month and submitted to the School Principal for review.

The School Principal will submit to the Maintenance Supervisor.



Posts corrosion free.

Poles corrosion free.

SOCCER PLAYING SURFACE: Level ground with good drainage.

Free of holes/ruts/trash/animal feces/rocks.

BASKETBALL BACKSTOPS:

Backboards in good condition.

Rims secure and straight.

Pole anchors stable, in good condition & safely covered.

OUTSIDE FACILITIES SAFETY CHECK LIST

Submit to the School Principal for Review. School Principal to forward to Maintenance Department

SCHOOL:DATE:			INSPECTED BY:		
			Custodian Signature		
INSPECT FOR	MEETS SAFE GUIDELINES		COMMENT/FOLLOW UP ACTION		
INOI EST TOIX	YES	NO			
WALKING & PLAYING SURFACES:					
Asphalt areas – level & free of holes/broken asphalt.					
Grass & dirt areas – free of holes/ruts.					
Clear of broken glass, cans, rocks, animal feces etc.					
Free of drainage problems.					
Clear of trip hazards (exposed footings, roots or other environmental obstacles.					
NESTS:					
Free of stinging insect nests (bees, wasps, etc.)					
METAL FENCING:					
Clips & attachments safely secure.					
Fencing tight and secure to frame.					
No holes in fence or at ground level.					
Anchors to ground stable, in good condition and safely covered.					
Posts corrosion free.					
BENCHES/BLEACHERS:					
Free of protruding nails, splinters, cracked or rotted wood.					
Anchors to ground in good condition and safely covered.					
SOFTBALL BACKSTOP:					
Fencing, clips & attachments safely secure.					
Fencing tight and secure to frame.					
No holes in fence or at ground level.					
Anchors to ground stable, in good condition and safely covered.					
Posts corrosion free.					
SOFTBALL PLAYING SURFACE:					
Level ground with good drainage.					
Free of holes/ruts/trash/animal feces/rocks					
SOCCER GOALS:					
Framework free from protruding hooks.					
Anchors to ground stable, in good condition and safely covered.					



OUTSIDE FACILITIES SAFETY CHECK LIST - Page 2

BASKETBALL PLAYING SURFACE:	
Level playing surface, good drainage.	
Free of holes/ruts/trash/animal feces rocks	
TENNIS COURTS:	
Surface	
Posts/ Nets	
Fencing	
SKATE BOARD PARKS:	
Surface	
Ramps	
OUTDOOR RINKS:	
Boards in good condition	
Nets / Metal Frames	
LONG JUMP PITS:	
Free of debris	
Take off board level	
Ample sand	
COMMENTS:	



School:

EXTERIOR PREMISES INSPECTION FORM

Month/Year:_____

To be completed daily by the Head Custodian and submitted to the School Principal on the last day of each month.

Date	Time	Location(s) checked	Physical Condition of Area	Corrective Action Taken



ROLLING RIVER SCHOOL DIVISION REGULATION EXTERIOR PREMISES INSPECTION FORM (CONTINUED)

To be completed daily by the Head Custodian and submitted to the School Principal on the last day of each month.

School:			Month/Year:				
Date	Time	Location(s) checked	Physical Condition of Area	Corrective Action Taken			



ROLLING RIVER SCHOOL DIVISION REGULATION INTRUSION ALARM MONTHLY LOG

School:	Month:	
-	_	

To be completed on the last day of each month and submitted to the Maintenance Supervisor.

Date	Time	Zone # of Alarm	Alarm	False Alarm



FIRE EXTINGUISHER MAINTENANCE LOG

To be completed on the last day of each month and submitted to the School Principal

School:

LOCATION	SERIAL NO.	CONDITION	DATE	TYPE



FIRE ALARM SYSTEM MONTHLY CHECK RECORD

To be completed on the last day of each month and submitted to the School Principal

Date	1. Fire Alarm System				2. Ba	ttery	tery 3. Check		k			
20	Location of Manual Alarm initiating device	A	В	С	D	E	F	G	Н	I	J	Person conducting check (signature & print)
Sept.												
Oct.												
Nov.												
Dec.												
Jan.												
Feb.												
March												
April												
May												
June												
July												
August												

1. FIRE ALARM SYSTEM

- A. Satisfactory operation of Initiating Device tested.
- B. Satisfactory operation of Audible & Visual Alarm Signals.
- C. Correct annunciation of Initiating Device tested.
- D. Satisfactory operation of Audible & Visual Trouble Signal.
- E. Satisfactory operation of Remote Trouble Signal

2. BATTERY

- F. Battery terminals inspected, Cleaned & Lubricated.
- G. Battery clamps Clean and Tight.

3. CHECK

- H. Primary Power indication lamp On.
- I. System Trouble Signal and indicator Off.
- J. Control panel enclosure Locked.



EMERGENCY LIGHTING AND EXIT LIGHTS MONTHLY CHECK RECORD

To be completed on the last day of each month and submitted to the School Principal.

School:	
Total number of emergency light heads	Total number of exit lights
Bulb styles	Bulb voltage
Total number of battery packs	

Date	Emergency Lights						Exit Lights			Barrara and a diameter also	
20	Α	В	С	D		Α	В	С		Person conducting check (signature & print)	
Sept.											
Oct.											
Nov.											
Dec.											
Jan.											
Feb.											
March											
April											
May											
June											
July											
August											

Emergency Light

- A. AC Power disconnected for 30 minutes.
- B. All bulbs stay on while AC off.
- C. Battery terminals clean and corrosion free.
- D. Turn AC on all lights off

Exit Lights

- A. All AC bulbs are on.
- B. Turn AC off and check that DC bulbs come on.
- C. Turn AC back on. Ac bulbs turn on, DC bulbs turn off.



ANNUAL PLAYGROUND INSPECTION

School:	Date:
Category: Climbing Frames	



Total number of items in Catego	ry:	
Reporting on Item No.:	of	Items in Climbing Frames Category
Description of:		

Climbing Frames	OK	Action Needed	Action Taken	Date Completed
Stability in Ground / Tilting				
Exposed Concrete				
Ground Clearing				
Structural Support				
Protective Surfacing Material				
Fastening Points				
Steps/Rungs				
Handles				
Sharp Edges / Points				
Entanglement / Pinch Points				
Protrusions				
Equipment spacing / No- Encroachment Zone				
Bolts and nuts				
Entrapment – No openings (3 to 9 in.) or angles <55 degrees.				
OTHER				



ANNUAL PLAYGROUND INSPECTION

Total number of items in Category:



Reporting on Item No.:		_of	_Items in Spring Rides Category		
Description of:					
Spring Rides	ок	Action Needed	Action Taken	Date Completed	
Stability in Ground / Tilting					
Exposed Concrete					
Ground Clearing					
Protective Surfacing Material					
Fastening Points					
Seats / Tires					
Handles					
Sharp Edges / Points					
Entanglement / Pinch Points					
Protrusions					
Equipment spacing / No- Encroachment Zone					
Grease fittings					
Plastic components cracking or damaged					
Spring and bar					
Pivot points					
Nuts and bolts					
OTHER		·			



ANNUAL PLAYGROUND INSPECTION

Category: Slides	
------------------	--



Total number of items in Category:		
Reporting on Item No.:	of	Items in Slides Category
Description of:		

Slides	OK	Action Needed	Action Taken	Date Completed
Stability in Ground / Tilting				
Exposed Concrete				
Ground Clearing				
Protective Surfacing Material / Borders				
Fastening Points				
Stairs / Steps				
Hand Rails				
Plastic Components: Cracked / Damaged				
Structural Support: Bars				
Structural Support: Legs				
Sharp Edges / Points				
Entanglement / Pinch Points				
Protrusions				
Nuts / Bolts				
Equipment spacing / No- Encroachment Zone				
Entrapment – No openings (3 to 9 in.) or angles <55 degrees.				
OTHER				



ANNUAL PLAYGROUND INSPECTION

Category: Merry-Go-Rounds



Total number of items in Category: _		
Reporting on Item No.:	of	Items in Merry-Go-Round Category
Description of:		

Merry-Go-Round	OK	Action Needed	Action Taken	Date Completed
Stability in Ground / Tilting				
Exposed Concrete				
Ground Clearing				
Protective Surfacing Material				
Fastening Points				
Handles				
Sharp Edges / Points				
Entanglement / Pinch Points				
Protrusions				
Equipment spacing / No- Encroachment Zone				
Grease fittings				
Chain Covers				
Entrapment – No openings (3 to 9 in.) or angles <55 degrees.				
Stairs / Steps				
Nuts and bolts				
OTHER				



ANNUAL PLAYGROUND INSPECTION

Category: Teeter-Totter / See-Saw

Total number of items in Category: ___



Reporting on Item No.:		_ofl	tems in Teeter-Totter/	See-Saw	
Category Description of:					
Teeter-Totter / See-Saw	OK	Action Needed	Action Taken	Date Completed	
Stability in Ground / Tilting					
Exposed Concrete					
Ground Clearing					
Protective Surfacing Material					
Fastening Points					
Pivot Points					
Seats					
Handles					
Sharp Edges / Points					
Entanglement / Pinch Points					
Protrusions					
Equipment spacing / No- Encroachment Zone					
Entrapment – No openings (3 to 9 in.) or angles <55 degrees.					
Grease Fittings					
Nuts and Bolts					
Caps and Plugs					
OTHER					
			1	1	



ANNUAL PLAYGROUND INSPECTION

Category: Swings

				n
C)	VI.	理 通 字 A4	all S	
		39 50		

Total number of items in Category:		
Reporting on Item No.:	of	Items in Swings Category
Description of:		

Swings	OK	Action Needed	Action Taken	Date Completed
Stability in Ground / Tilting				
Exposed Concrete				
Ground Clearing				
Structural Support				
Protective Surfacing Material				
Chains				
Chain Covers				
S-Hooks / C-Hooks				
Seats / Tires				
Sharp Edges / Points				
Protrusions				
Equipment spacing / No- Encroachment Zone				
Grease Fittings				
End / Centre Fittings				
Nuts and Bolts				
OTHER				
		·		



ANNUAL PLAYGROUND INSPECTION

Category: General Playground



Total number of items in Category:		
Reporting on Item No.:	of	_Items in General Playground
Category Description of:		

Playground	OK	Action Needed	Action Taken	Date Completed
Borders and Fences				
Signage				
Trash facilities available				
Trash containers emptied				
Grooming / grass and trees				
Drainage				
Debris				
Fall bed appearance				
Fall bed compaction (high use areas)				
Appearance of equipment i.e.: needs paint, etc.				
Foreign attachments				
Equipment Spacing / No Encroachment zone				
Benches				
Debris / Broken glass				
Pathways				
Lighting				
OTHER				



ANNUAL PLAYGROUND INSPECTION



Total number of items in Ca	ategory:			
Reporting on Item No.:		_of	_Items in Play Structure	s Category
Description of:				
Play Structure	ОК	Action Needed	Action Taken	Date Com

Play Structure	OK	Action Needed	Action Taken	Date Completed
Stability in Ground / Tilting				
Exposed Concrete				
Ground Clearing				
Protective Surfacing Material / Borders				
Fastening Points				
Stairs / Steps				
Hand Rails				
Plastic Components: Cracked / Damaged				
End / Centre Fittings				
Structural Support: Bars				
Structural Support: Legs				
Side Walls and Bedway				
Sharp Edges / Points				
Entanglement / Pinch Points				
Protrusions				
Nuts / Bolts				
Caps / Plugs				
Chains and Ropes				
Wood Checking max. 19mm (3/4 inch)				
Debris / Broken Glass				
Equipment spacing / No- Encroachment Zone				
Grease fittings				
Entrapment – No openings (3 to 9 in.) or angles <55 degrees.				
OTHER				



ANNUAL PLAYGROUND INSPECTION

Date Inspected:	Inspected By:	
<u>COMMENTS</u>		



AUTOMATED EXTERNAL DEFIBRILLATOR (AED) MAINTENANCE LOG

To be completed once per week and submitted to the School Principal when log is full

Date Maintenance Checklist Completed	Initials	Date Maintenance Checklist Completed	Initials



Rolling River School Division

ADMINISTRATIVE PROCEDURE

AUTOMATED EXTERNAL DEFILBRIALATOR (AED) MAINTENANCE AND TROUBLESHOOTING

Maintaining the Unit

- Inspect frequently, as necessary.
- ➤ Check for the green check (✓) showing that the unit is ready to use.
- Verify that electrodes are within their expiration date.
- Verify that batteries are within their expiration date.
- Verify that electrodes are pre-connected to the input connector.
- Verify that supplies are available for use (razor, mask, gloves, extra batteries)

Maintenance Checklist

Use the following checklist when you check you unit.

Check the following	<u>Pass</u>	<u>Fail</u>
Is the unit clean, undamaged, free of excessive wear?		
Are there any cracks or loose parts in the housing?		
Verify electrodes are connected to the unit and sealed in their package. Replace if expired.		
Are all cables free of cracks, cuts and exposed or broken wires?		
Turn the unit on and off and verify the green check indicates ready for use.		
Batteries within expiration date. Replace if expired.		
Check for adequate supplies.		

Cleaning the Unit

- After each use, clean and disinfect the unit with a soft, damp cloth using 90% isopropyl alcohol, or soap and water, or chlorine bleach and water mixture (30 ml/litre water).
- > Do not immerse any part of the unit in water.
- > Do not use ketones (MEK. Acetone, etc.) to clean the unit.
- Avoid using abrasives (e.g. paper towel) on the display window or IrDa port.
- Do not sterilize the device.



Rolling River School Division

ADMINISTRATIVE PROCEDURE

EYEWASH WEEKLY INSPECTION FORM

An emergency eyewash fixture is provided to flush tepid water to the eye, diluting any hazardous materials that may have come into contact with the eyes.

GENERAL REQUIREMENTS

Initial and date in the corresponding box verifying the eyewash station is checked weekly for the following:

- The pathway to the eyewash station is clear of obstructions
- The eyewash fixture is free of obstructions in all directions
- The nozzle dust caps/covers are in place and operating properly
- To test the eyewash station, flush water until clear water flows continually through eyewash head without any leaks, rust, dirt, etc. for approximately 5 seconds

School Name:				Room #:		
Year:	Week 1	Week 2	Week 3	Week 4	Week	Comments
January						
February						
March						
April						
Мау						
June						
July						
August						
September						
October						
November						
December						

Principal I	nvestigator:	